HABS NO. DC-395-F

443-

Howard Road Historic District Minnie B. Smoot Apartment Building (J. Finley Wilson Memorial Lodge No. 13) 1015 Howard Road Washington District of Columbia

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

Historic American Buildings Survey National Park Service Department of the Interior Washington, DC 20013-7127

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

HABS DC, WASH, HH3-

5 November 1984

ARCHITECTURAL DATA FORM

STATE	COUNTY		TOWN OR VICINIT	ry
District of Columbia			Washington	
HISTORIC NAME OF STRUCTURE (INCLUDE SOURCE FOR NAME)				HABS NO.
Minnie B. Smoot Apartment Building (building permit)				DC-395-F
SECONDARY OR COMMON NAMES OF STRUCTURE				
J. Finley Wilson Memorial Lodge No. 13				
COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES)				
1015 Howard Road, Washington, D.C.				
DATE OF CONSTRUCTION (INCLUDE SOURCE)		ARCHITECT(S) (INCLUDE SOURCE)		
1929 (building permit)		J.L. Turner (permit)		
SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built as an invest-				
ment property for Minnie B. Smoot, local undertaker and property owner; four-unit apartment building erected on two lots subdivided out of Barry's Farm Lot 8; multi-family occupance suggests trend toward maximizing investment returns in post-WWI period.				
STYLE (IF APPROPRIATE)				
MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) Exterior masonry bearing walls, utilizing				
standard building brick in 6-course common bond, and tan textured facebrick on facade; consills; interior has post and stud framing				
SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE)				
Two stories, approx. 38' x 67', four-unit block with three-part symmetrical facade, flat				
roof with parapet, two two-level rear porches, walk-in basement at rear EXTERIOR FEATURES OF NOTE 6/1 wood d.h.s.; yellow-orange brick surrounds on west side, where				
window openings filled in with molded, pierced cinder blocks; facade has Chicago-type first				
floor windows below brick soldier arches; entry has concrete corner blocks and is surmounted				
by a panel with brick laid in herringbone pattern				
INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED) (See sketched floor plans)				
1/1 paneled doors; baseboards with ogee top moldings; simply-molded door and window surround				
tipped with simplified entablatures; double-leaf, 10-light doors between living and dining rooms; built-in cupboards in kitchens; skylight illuminates stairhall on 2nd floor				
MAJOR ALTERATIONS AND ADDITIONS WITH DATES				
1978- first floor completely remodeled as a lodge room, with long bar at left rear; glass				
and metal front doors installed, cinder blocks used to fill in windows on west side				
PRESENT CONDITION AND USE				
Building is used by the BPOE as lodge hall, offices, etc., and is well maintained				
OTHER INFORMATION AS APPROPRIATE Documentation prepared by Louis Berger & Associates, Inc.,				
for Washington Metropolitan Area Transit Authority in compliance with a Memorandum of Agreement with the Advisory Council on Historic Preservation.				
SOURCES OF INFORMATION (INCLUDING LISTING ON NATIONAL REGISTER, STATE REGISTERS, ETC.)				
Building permit dated 8/7/29; personal interview with building caretaker, Donald Ball, 10/				
16/84; blueprints dated 1978 in possession of Donald Ball; determined eligible				
for the National Register as part of the Howard Road Historic District.				

M.H.Bowers, Louis Berger & Associates, Inc.

The state of the s



